Classification: Public



OCTOBER 2023

REVISIONS TO THE LOOSE-LEAF RULEBOOK OF THE LONDON METAL EXCHANGE

Release No 125

Enclosed are replacement pages of the LME Rulebook affected by recent revisions.

Updates comprise:-

Part 6 – Replace pages 6-33 to 6-36

Details of the substantive changes are below:

Men

23/133	SPECIAL CONTRACTS RULES – ADDITION OF ZINC JUMBOS AND
	OTHER ADMINISTRATIVE AMENDMENTS

Kishan Chandarana

Ref: R125 (2023/5)

SPECIAL CONTRACT RULES FOR SPECIAL HIGH GRADE ZINC

1. **QUALITY**

The zinc delivered under this contract must be:

- (a) Refined zinc of minimum 99.995% purity conforming to one of the following Standards and specific grades:
 - (i) BS EN 1179:2003 Standard entitled "Zinc and Zinc Alloys Primary Zinc", 99.995% grade
 - (ii) ISO 752:2004 entitled "Zinc ingots", ZN-1 grade
 - (iii) ASTM B6-23 entitled "Standard Specification for Zinc", LME grade
 - (iv) GB/T 470-2008 entitled "Zinc ingots", Zn99.995 grade
- (b) In the shape of ingots and jumbos.
- (c) Of brands in the LME approved list.

2. **SIZE OF LOT**

25 tonnes (2% either more or less).

3. WARRANTS

- 3.1 Warrants shall be for 25 tonnes (2% either more or less).
- 3.2 The zinc in each warrant shall consist of one brand which is listed as being good delivery, and of one shape and dimension, subject, in the case of ingots, to the necessity of including different shapes and dimensions at the bottom of each bundle for the purpose of stability and must be in bundles not exceeding 1.5 tonnes securely strapped for safe handling and transport without bundle distortion and breakage.
- 3.3 Each Warrant shall state:
 - (a) the name of the brand;
 - (b) the country / region of origin;
 - (c) the shape;
 - (d) the date(s) and reference number(s) of the certificate(s) of analysis lodged with the Warehouse;
 - (e) the weight;
 - (f) the number of bundles making up each lot.

4. **CERTIFICATES OF ANALYSIS**

Requirement for eCOA to place metal on Warrant

6-33 Part 6

- 4.1 Each delivery of a Lot of zinc to a Warehouse for placing on Warrant must be accompanied by an eCOA in order for the Warehouse to be able to place such metal on Warrant.
- 4.2 Where the zinc comprising the relevant Lot was produced on or after a date to be specified by the Exchange by way of Notice, in order for such Lot to be warrantable, the Lot of zinc must be accompanied by an Enhanced eCOA.
- 4.3 With effect from the date specified by way of Notice pursuant to Special Contract Rule 4.2 above, where a Warehouse is unable to identify the production date of a Lot of zinc and the relevant Lot is not accompanied by an eCOA, the Warehouse is permitted to produce a Basic eCOA pursuant to the terms of any agreements between the Exchange and the relevant Warehouse. In such circumstances, the Warehouse may place such Lot on Warrant following the creation of such Basic eCOA.

Voluntary creation of an eCOA (metal produced before the date specified by way of Notice pursuant to Special Contract Rule 4.2 above):

- 4.4 For metal produced before the date specified by way of Notice pursuant to Special Contract Rule 4.2 above and where an Enhanced eCOA has not been created in respect of the underlying metal by its producer, a Basic eCOA may be produced by one of the following:
 - (a) Members, pursuant to Special Contract Rule 4.6 below;
 - (b) Warehouses, pursuant to the terms of any agreements between the Exchange and the relevant Warehouse (including but not limited to the Warehouse Agreement);
 - (c) the producer of the underlying metal; or
 - (d) any other categories of persons or entities as the Exchange may specify from time to time.

For these purposes, each of the above shall be able to upload Paper COAs into the eCOA System for the purposes of producing the Basic eCOA.

Requirements for Production of an eCOA:

- In order to be a valid eCOA, any eCOA that is produced in respect of zinc must demonstrate compliance with one of the relevant standards and grades listed in Special Contract Rule 1(a) (i), (ii), (iii) or (iv) by illustrating the detected level of impurity for each element. In all cases, it must be possible to cross-reference the production cast reference on the metal to identical numbers on the eCOA.
- 4.6 An Enhanced eCOA for a Lot of zinc may only be created by the producer of the metal. Any eCOA created by a producer of metal which is produced on or after the date specified by way of Notice pursuant to Special Contract Rule 4.2 above must be an Enhanced eCOA.
- 4.7 Where a Member (or any other person) elects to produce a Basic eCOA, it must:
 - (a) upload the complete and correct Paper COA relating to the underlying metal;
 - (b) enter the correct information into the eCOA System as requested by the eCOA System for the purposes of creating the Basic eCOA and as specified by the Exchange from time to time; and

6-34 Part 6

(c) use all reasonable skill, care and attention when using the eCOA System.

5. ADDITIONAL REQUIREMENTS FOR ZINC WARRANTS

- 5.1 The listed brand name must be indelibly marked on each ingot and jumob.
- 5.2 The production cast reference must be:
 - (a) indelibly marked on each ingot within a bundle or on the top surface of the bundle.
 - (b) indelibly marked on each jumbo.
- 5.3 If a Warrant relates to metal in respect of which an eCOA has not been produced, the Warehouse is obliged to submit to the identified holder of any Warrant the Certificate(s) of Analysis or copies thereof, on request.
- 5.4 All documentation for placing zinc on Warrant must include the English language.
- 5.5 Straps replaced by a Warehouse must be of corrosion resistant material and in compliance with LME strap standards.

6. SHAPES, WEIGHTS AND DIMENSTIONS

(a) Ingots

Ingots shall weigh not more than 30 kilos.

(b) Jumbos

Jumbos shall weigh not less than 900 kilos and not more than 1200 kilos. Each jumbo in each lot shall be of the same weight and dimensions.

Dimensions shall be within the permitted range detailed as follows:

Length Not more than 1450mm

Width Not more than 600mm

Height Not more than 350mm

Shape Jumbos shall have a minimum of two top holes for handling,

which shall have a minimum diameter of 70mm each. Each jumbo should be suitable for stacking and allow for safe and

easy handling by forklift trucks.

7. **MAJOR CURRENCY**

US dollars

8. TESTING OF WARRANTED METAL

If the Chief Executive, or those empowered by him for this purpose, believe that the conditions at (a) and (b) below are satisfied, he or they may instruct an LSA to undertake such tests as are necessary to form a reasonable opinion on whether or not metal on Warrant conforms with these rules. Where the Chief Executive, or those empowered by him for this purpose,

6-35 Part 6

reasonably believes that the situation requires it, those tests may be conducted without the prior consent of the Warrant holder. The tests will be at the LME's cost.

The conditions referred to above are:

- (a) There are reasonable grounds to suspect that metal on Warrant does not comply with these rules.
- (b) There is a risk of disruption to the LME's market.

6-36 Part 6